

Meeting Growing Water Demand

George Wootten, Engineered Fluid, Inc. and Joe Esposito, Norquip

How to maximize value in water applications with flow measurement capabilities.


The Village of Mundelein, Ill., 35 miles northwest of Chicago, had a growing water demand and needed options for managing the increasing demand.

Rob Haley, village water superintendent, wanted an energy saving design. Operating with two separate pressure zones, Mundelein needed a third zone to allow control of flow and pressures without excess pumpage. The village retained Rezek, Henry, Meisenheimer & Gende (RHMG) as their engineering consultant on the project.

The design scope included the addition of five interconnection points using five separate pressure reducing stations.



Two pressure reducing stations arriving at the job site in Mundelein, Ill., on a tractor trailer




Valve station

RHMG called us, through our representative Joe Esposito of Norquip, Inc., to collaborate on the design of the five different pressure reducing stations.

The hydraulic and control requirement leads for the design came from a series of meetings, correspondence and design iterations. In the final form, each of the five stations varied in their configuration and capacity. Because of the flow variation between minimum off-hour flow to peak domestic flow and up to high flow fire demand, the stations had multiple pressure reducing valves arranged in parallel. Other valve functions were added to CLA-Val PRVs for special remote control through SCADA.

When the design was almost complete, Rob Haley determined it would enhance system control if flow measurement could be added to the function of the stations. Normally, adding flowmeters



Telemetry/SCADA



3-in low flow control valve



One of the pressure reducing stations being set into place. After installation is complete, a factory service technician will start-up the stations and train the operators.

A powerful solution for demanding pumping applications



IPU-PSM L300P Series

Custom-Made for Pumping Applications and installed in HITACHI L300P Series

The IPU-PSM provides:

- Simple Set-up
- Sleep mode initiation on low frequency threshold for specified length of time
- Wake from Sleep Mode based on:
 - Pressure deviation for a specified length of time, or
 - Digital input signal

Hitachi America, Ltd.
Tel: 262.787.4975

Visit us on-line at
www.hitachi-america.us/inverters

